


Section 7 - Anchor Pins, Bushes, Return Springs and Hardware

FPA No.	Description	Application	Alternate No.
 0252017606	Anchor Pin Nut Use with 0317723100 M20 x 1.5mm	BPW Low Loader Axle	BP3317 FL34.8036A WT3317
 0308446220R	Anchor Pin O.D. 36mm Length 135mm	BPW New Generation Axles	BP3319 BPW 0308446220 FL15.6534A IT3319 T02-3317 Transparts 019009534 WT3319
 0308466150	Anchor Pin O.D. 36mm Length 122mm	BPW Old Generation Axle	BP3309 BPW 0308466150 FB3214 IT3309 T02-3214 Transparts 019012857 WT3309
 0311222300	Brake Shoe Bush I.D. 32mm O.D. 36mm Length 54mm	BPW	BP3210 BPW 031122230 FL23.7102A Transparts 019005066 WT3210
 0311233040	Brake Shoe Bush Bi-metal on Steel I.D. 36mm O.D. 40mm Length 28mm	BPW Aluminium Shoes	BP3209 BPW 0311233040 FB3219 FL23.7101A IT3209 Transparts 019005093 WT3209

Section 7 - Anchor Pins, Bushes, Return Springs and Hardware

FPA No.	Description	Application	Alternate No.
 0311233080	Anchor Pin Bush Brass Slotted I.D. 36mm O.D. 40mm Length 60mm	BPW New Generation Axles	BP3320 BPW 0311233080 FL16.6562A IT3320 T02-3189 Transparts 019003923 WT3320
 0311233080R	Anchor Pin Bush I.D. 36mm O.D. 40mm Length 60mm	BPW New Generation Axles	BP3208 BPW 0311233080 FB3217 FL16.6561A IT3320 Transparts 019005081 WT3208
 0316723020	Distance Plate 33mm 50mm 56mm	BPW New Generation Axles	BP3321 BPW 0316723020 FL34.8038A IT3321 T02-3228 Transparts 019009558 WT3321
 0317723100	Anchor Pin O.D. 28/32mm Length 153mm	BPW Low Loader Axle	BP3316 BPW 0317723100 WT3316
 0318802020R	Anchor Pin Circlip C Clip	BPW Brake 95	BP7066 BPW 0318802020 FB3223 IT3151

Section 7 - Anchor Pins, Bushes, Return Springs and Hardware

FPA No.	Description	Application	Alternate No.
 0334001020	Screw Anchor Pin Lock O.D. 10mm Length 34mm	BPW Axles	BP3311 BPW 0334001020 FL34.8033A IT3311 T02-3224 Transparts 019008191 WT3311
 0908446080	Anchor Pin Kit O.D. 36mm Length 147mm Contains: 1 - WT3311 1 - WT3313A 1 - WT3315S Non Genuine 0908446080R	BPW Axles Old Generation Alloy	BP3313 BPW 0908446080 FL15.6533A IT3313 Transparts 019010612 WT3313
 0908466020H	Anchor Pin O.D. 36mm Length 122mm Non Genuine 0908466020R	BPW Axles Old Generation	BP3309 BPW 0908466020H FL15.6532A IT3309 Transparts 019012857 WT3309
 FP15.526	Anchor Pin O.D. 1-1/4" Length 2-7/8"	Eaton and Rockwell Axles	BP3200 Eaton B-2083 FB3232 FL15.526 IT15.526 Rockwell 1259Q251 WT3200
 FP15.527	Anchor Pin O.D. 1-1/4" Length 2-5/8"	Freighter Fruehauf Rubery Owen and Rockwell Axles	BP3201 FB3201 FL15.527 Freighter 154-00810 Fruehauf ALA 7538-0 IT15.527 Rockwell 1259R200 Rubery Owen 6718 T02-3201 WT3201

Section 7 - Anchor Pins, Bushes, Return Springs and Hardware

FPA No.	Description	Application	Alternate No.
 FP15.532	Anchor Pin O.D. 1-1/4" Length 3-25/32"	Eaton and Rockwell Axles	BP3300 Eaton B2023 FB3233 IT15.532 Rockwell 1259R252 WT3300
 FP15.532A	Anchor Pin Double Groove O.D. 1-1/4" Length 3-1/4"	Interchangeable with FP15.527, however, is longer to allow for brake shoes reinforced with FP3302 Washers Washers to repair worn anchor pin eyes.	BP3301 FB3301 FL15.6531A IT15.532A T02-3301 WT3301
 FP15.537	Anchor Pin O.D. 1" Length 2-3/4"	Freighter Standard Forge Axles	BP3216 FL15.537 Freighter 154-30112 IT15.537 Standard Forge 203108-1 T02-3185 WT3216
 FP15.538	Anchor Pin O.D. 1" I.D. 13/16" Length 6-3/16" Thread 3/4-16"	Dana Low Loader 12-1/4" Brakes	FL15.538 IT15.538 T02-3311
 FP15.542	Anchor Pin O.D. 1-1/4" Length 2-1/4"	Rockwell 'Q' Series	FB3237 FL15.542 IT15.542 Rockwell 1259N274 T02-3237 WT3305

Section 7 - Anchor Pins, Bushes, Return Springs and Hardware

FPA No.	Description	Application	Alternate No.
 FP15.543	Anchor Pin O.D. 1-1/4" - 1-1/16" Length 2-15/32"	Fruehauf 'XEM' Series	BP3307 FL15.543 Fruehauf ACE-9909-1 IT15.543 T02-3195 WT3307
 FP16.561	Anchor Pin Bush Stainless Steel offset slot I.D. 1-1/4" O.D. 1-3/8" Length 1-15/32"	Fruehauf Propar Axles	BP3206 FB3206 FL16.561 Fruehauf AXA-0068 IT16.561 Rockwell 1225A443 Rubery Owen 0514 T02-3206 WT3206
 FP16.562	Anchor Pin Bush Stainless Steel Centre Slot I.D. 1-1/4" O.D. 1-3/8" Length 1-15/32"	Rockwell Axles	FB3231 FL16.562 IT15.562 Rockwell 1225G449 WT3213
 FP16.563	Anchor Pin Bush Stainless Steel no slot I.D. 1-1/4" O.D. 1-3/8" Length 1-15/32"	General Purpose Spicer, Standard Forge, Ingersoll, Freightler, McGrath, Haulmark, R.O.R.	BP3207 Eaton B-2022 FB3207 FL16.563 Freightler 154-00809 IT16.563 Rockwell 1225B496 T02-3207 WT3207
 FP23.1026	Brake Shoe Bush Bi-metal Bronze on Steel I.D. 1-1/4" O.D. 1-3/8" Length 3/4"	Eaton Standard Forge Rockwell Axles	BP3212 Eaton B-1993-2 FB3212 IT23.1026 Rockwell 1225F266 Standard Forge 405101 WT3212

Section 7 - Anchor Pins, Bushes, Return Springs and Hardware

FPA No.	Description	Application	Alternate No.
 FP23.1027	Brake Shoe Bush O.D. 1-1/16" I.D. 1" Length 1-3/4"	Dana and Standard Forge Axles	IT23-1027 T02-3215 WT3345
 FP3200	Bolt On Anchor Pin Standard (Short) O.D. 1-1/4" Length 2-1/4"	General Purpose	BP3304S FB3200 FL15.6527A IT3200 T02-3200 WT3304S
 FP3202	C' Washer for Anchor Pins Part No. FP15.527 and FP15.532A O.D. 1-1/16" Length 1-7/8"	Freighter Fruehauf Rubery Owen and Rockwell Axles	BP3202 FB3202 FL34.8032A Freighter 154-00588 Fruehauf P1166 IT3202 T02-3202
 FP3207B	Anchor Pin Bush Bi Metal Bronze on Steel Replaces FP16.563	General Purpose Spicer, Standard Forge, Ingersoll, Freighter, McGrath, Haulmark, R.O.R.	BP3207B FL16.6564A IT3207B T02-3207B WT3207B
 FP3302	Support Washer I.D. 1-1/4 O.D. 1-3/4" Width 5/8" Use with FP3200 and FP3304 Anchor Pins	General Purpose	BP3302 FB3302 FL35.8101A IT3302 T02-3302 WT3302U

Section 7 - Anchor Pins, Bushes, Return Springs and Hardware

FPA No.	Description	Application	Alternate No.
 FP3304	<p>Anchor Pin Bolt On Long</p> <p>Can be used on Brake Shoes fitted with FP3302 Washers</p> <p>O.D. 1-1/4" Length 2-13/16"</p>	General Purpose	BP3304 FB3304 FL15.6525A IT3304 T02-3304 WT3304
 FP3304W	<p>Washer Only</p> <p>Drilled to 3/8"</p> <p>Suits FP3304 Anchor Pin</p>	General Purpose	BP3304W
 FP34.1525	<p>Circlip</p> <p>I.D. 1-1/8"</p>	Suit 1-1/4" Anchor Pins	BP3205 Eaton B-1214 FB3205 FL34.1525 Freightler 154-00823 IT34.1525 Rockwell 1229X1116 Rubery Owen 0514 Standard Forge 214108 T02-3205 WT3205
 FP34.1527	<p>Circlip</p> <p>Used on FP15.537</p> <p>I.D 1"</p>	Freightler Standard Forge Axles	BP3218 FL34.1527 Freightler 152-06206 Standard Forge 214107 T02-3187 WT3218
 FP34.1533	<p>Roll Pin Lock</p> <p>5/16" OD X 1-3/4" LG</p>	<p>Fruehauf Propar Brakes</p> <p>Early Style Fruehauf Axles With 16-1/2" Brakes</p>	FB3204 Fruehauf 528323 Rockwell 1199E1695 WT3204

Section 7 - Anchor Pins, Bushes, Return Springs and Hardware

FPA No.	Description	Application	Alternate No.
 FP34.1536	Anchor Pin Nut and Spring Washer O.D.-1-1/8" I.D. 3/4" Thread 16	Dana Low Loader 12-1/4" Brakes	FL34.1536 Nut FI34.1537 Washer IT34.1536 T02-5509 WT3344
 FP34.1538	Anchor Pin Link Length 3-5/8" Thickness 3/16"	Dana Low Loader 12-1/4" Brakes	FL34.1538 IT34.1538 T02-3216 WT3342
 FP35.1533	Roll Pin for Anchor Pins Part No. FP15.527 and FP15.532A O.D. 5/16" L.G. 1-3/4"	Fruehauf Propar Brakes Early Style Fruehauf Axles With 16-1/2" Brakes	BP3204 Eaton B-1552 FB3204 FL34.1533 Fruehauf 630298 IT35.1533 Rockwell 1199E1695 Standard Forge 411101 T02-3204 WT3204
 FP35.1580	Spacer Washer for Anchor Pins I.D. 1-1/4" O.D. 1-7/8" Thickness 1/16"	General Purpose	BP3203 Eaton B-2019 16071 FB3203 FL35.1580 Freightler 154-00824 IT35.1580 Rockwell 1229B1848 Rubery Owen 6719 Standard Forge 403145 T02-3203 WT3203
 FP35.1581	Washer I.D. 1" O.D. 1-1/2" Thickness 1/32"	Freightler Standard Forge Axles	BP3217 FL35.1581 Freightler 154-30111 IT Standard Forge 403147 T02-3186 WT3217

Section 7 - Anchor Pins, Bushes, Return Springs and Hardware

FPA No.	Description	Application	Alternate No.
 ZWT3207T	Anchor Pin Bush Bi Metal Bronze on Steel Tab Jointed Option to FP16.563	General Purpose Spicer, Standard Forge, Ingersoll, Freighter, McGrath, Haulmark, R.O.R.	WT3207T
 ZWT3214	Retainer O.D. 1-21/32"	Eaton Standard Forge Rockwell Axles	BP3214 Eaton B1211 FB3236 IT35.1577 Rockwell 1205K193 Standard Forge 403101
 ZWT3215	Felt Seal I.D. 1-1/4" O.D. 1-5/8" Thickness 1/8"	Eaton Standard Forge Rockwell Axles	BP3215 Eaton X-6-562 FB3235 FL35.1576 IT35.1576 Rockwell 5X640 Standard Forge 409100
 ZWT3304B	Body Only To suit FP3304	General Purpose	BP3304HB
 ZWT3304L	Anchor Pin Bolt On Long O.D. 1-1/4" Length 3-3/16"	General Purpose	

Section 7 - Anchor Pins, Bushes, Return Springs and Hardware

FPA No.	Description	Application	Alternate No.
 ZWT3304WL	Washer Only Drilled to 5/8"	General Purpose	
 ZWT3308	Anchor Pin O.D. 1-1/2" O.A.L. 5-1/16" Thread 1"	Eaton 'E34' Axle	BP3308 Eaton B-1705 FL15.540 Freighter 154-00872 WT3308
 ZWT3310	Lock Nut Now use 8017 For WT3308 Anchor Pin Size 1" x 14 T.P.I.	Eaton 'E34' Axle	BP3310 Freighter 151-15036
 ZWT3313A	Anchor Pin Only From 0908446080R Kit O.D. 36mm Length 147mm	BPW Axles	BP3313A BPW 0308446050 FB3314 WT3313A
 ZWT3314	Anchor Pin Plug Plastic suit WT3309 or 0308466150 18mm	BPW Axles	BPW 0308446040 FL34.8034A T02-3316 WT3314






Section 7 - Anchor Pins, Bushes, Return Springs and Hardware

FPA No.	Description	Application	Alternate No.
 ZWT3315	Grease Nipple - suit Anchor Pin M14	BPW Axles	BP3315 BPW 0268500502 FL34.8035A T02-3223 WT3315
 ZWT3340	Anchor Pin Bush O.D. 1-1/8" I.D. 1" Length 1-7/16"	Standard Forge Axles	T02-3215 WT3340
 ZWT3347	Circlip I.D. 55/64" Suits FP15.538 Pin	Dana Low Loader 12-1/4" Brakes	
 0300108010	Retainer Pin Suit Steel Shoes O.D. 12mm Length 90mm	BPW Axles	BP3457 BPW 0300108010 FB3457 FL20.6881A IT3457 T02-3469 Transparts 019012768 WT3457
 0300108030	Retainer Pin O.D. 12mm Length 70mm	BPW Low Loader	BP3468 BPW 0300108030 FL20.6884A Transparts 019008090 WT3468

Section 7 - Anchor Pins, Bushes, Return Springs and Hardware

FPA No.	Description	Application	Alternate No.
 0308442020R	Retainer Pin Suit Aluminium Shoes Anchor End O.D. 12mm Length 126mm	BPW Axles	BP3458 BPW 0308442020 FB3466 FL20.6882A IT3458 T02-3466 Transparts 019012771 WT34588
 0308452060	Retainer Pin Suit Aluminium Shoes O.D. 14mm Length 100mm	BPW Axles	BP3461 BPW 0308452080 IT3461 Transparts 019004417 WT3461
 0339733060R	Return Spring Hooked	BPW New Generation & Lightweight Axles with Brake 95	BPW 0339733060 IT3157 WT3477
 0339733070R	Return Spring Straight	BPW New Generation & Lightweight Axles with Brake 95	BPW 0339733070 IT3158 WT3478
 0339734100R	Return Spring Suit Aluminium Shoes Anchor End O.D. 21mm Thickness 3.2mm O.A.L. 184mm	BPW Axles	BP3460 BPW 0339734100 FB3461 FL19.6852A IT3460 T02-3461 Transparts 019012845 WT3460

Section 7 - Anchor Pins, Bushes, Return Springs and Hardware

FPA No.	Description	Application	Alternate No.
 0339744060R	Return Spring O.D. 21mm Thickness 4mm Length 105mm	BPW New Generation	BP3470 BPW 0339744060 FB3475 FL19.6853A IT3470 T02-3475 Transparts 019009561 WT3470
 0539726020	Return Spring O.D. 22.5mm O.A.L. 235mm Thickness 2.5mm	Slack Adjuster Return on BPW Axles	BPW 0539726020 WT3456L
 0539726030R	Return Spring O.D. 26mm O.A.L. 150mm Thickness 2.8mm	Slack Adjuster Return on BPW Axles	BP3456 BPW 0539726030 FL19.6855A IT3456 T02-7379 Transparts 019009837 WT3456
 0539735030	Return Spring O.D. 22mm Thickness 3.6mm Length 163mm	BPW Low Loader	BP3467 BPW 0539735030 FL19.6854A IT3467 Transparts 019009852 WT3467
 0539745140	Return Spring O.D. 24mm Thickness 4mm Length 224mm	BPW 3620 Conventional Hub with 19.5" Wheels	

Section 7 - Anchor Pins, Bushes, Return Springs and Hardware

FPA No.	Description	Application	Alternate No.
 0539746070R	Return Spring Suit Aluminium Shoes Cam End O.D. 24mm Thickness 4mm O.A.L. 265mm	BPW Axles	BP3459 BPW 0539746070 FB3468 FL19.6851A IT3459 T02-3468 Transparts 01900864 WT3459
 0539758030	Return Spring Roller Retainer O.D. 34mm Thickness 5.4mm Length 268mm	BPW New Generation & Lightweight Axles with Brake 95	BPW 0539758030 IT3155 WT3476
 FP19.853	Return Spring Heavy Duty O.D. 1-1/8" O.A.L. 8"	Brake Shoe General Purpose	BP3415HD FB3451 FL19.853 IT19.853 ITAL 3213907R1 Kenworth MB7016 Rockwell 2258Z416 T02-3451 WT3451
 FP19.854	Return Spring Cam End Diameter 1-1/8" Between Springs 1-5/8" Length Inside 10-13/16"	Eaton Drive Cam End Eaton Axle	BP3464 Eaton 78580 FB3459 FL19.854 IT19.854 ITAL 472976C1 T02-3459 WT3464
 FP19.856	Return Spring Diameter 1-1/8" Inside Spring 2-1/4" O.A.L. 8-5/8"	Rockwell 'Q' Series Axles	BP3454 FL19.856 IT19.856 Rockwell 2258U619 T02-3480 WT3454





Section 7 - Anchor Pins, Bushes, Return Springs and Hardware

FPA No.	Description	Application	Alternate No.
 FP19.857	Return Spring O.D. 3/4" Length 4-3/8"	Spicer and Standard Forge Low Loader Axles with 12-1/4" Brakes	208105 BP7004 FB3455 FL19.857 IT19.857 WT3473
 FP19.859	Return Spring Anchor End Diameter 1" Spring Length 2-5/16" Length Inside 4-3/8"	Eaton Axles	BP3463 Eaton 70326 FB3460 FL19.859 Freightler 154-00930 ITAL 385960C1 T02-3460 WT3463
 FP19.860	Return Spring Diameter 3/4" Spring Length 2-3/8" O.A.L. 6-1/8"	Rockwell 'Q' Series Axles	BP3453 FB3449 FL19.860 IT19.860 Rockwell 2258Q615 T02-3449 WT3453
 FP19.862	Return Spring O.D. 1" Length 6-9/16"	Spicer and Standard Forge Low Loader Axles with 12-1/4" Brakes	FB3462 Freightler 154-30108 IT19.862 ITAL 58559H Rockwell 2258V256 Standard Forge 208106 WT3471
 FP19.863	Return Spring O.D. 1-7/64" O.A.L. 7-1/16"	Late Model Fruehauf Propar 12-1/4" Brakes Use with: 21-929 Fab. Steel Shoe.	1-350 BP3474 E1583 Fruehauf ACD 2287-1 M1056 TP1497

Section 7 - Anchor Pins, Bushes, Return Springs and Hardware

FPA No.	Description	Application	Alternate No.
 FP19.875	Return Spring O.A.L. 11-1/4" O.D. 1-1/8"	Eaton JE 501 Axles	BP3462 Eaton 1103817 FB3453 Freighter 154-00929 IT19.875 WT3462
 FP20.881	Retainer Pin O.D. 1/4" Length 2-3/4"	Brake Shoe General Purpose	BP3452 FB3452 FL20.881 Freighter 154-00806 Fruehauf 583015 IT20.881 Rockwell 1218G85 Rubery Owen 6614 Standard Forge 207102 T02-3452 WT3452
 FP20.882	Retainer Pin O.A.L. 2-1/8" O.D. 7/16"	Spicer and Standard Forge Low Loader Axles with 12-1/4" Brakes Fab Shoes	03.4526.0 IT20.882 WT3472
 FP3490	Return Spring 8-3/8" O.A.L. 1-1/4" O.D. Heavy duty wire	Rockwell Q Plus H.D. Heavy Duty version of FP19.856	03.3701.0 IT3490 RE2258W803
 ZWT3465	Return Spring Anchor End Diameter 1/2"	Eaton 'E34' Axles with 12-1/4" Brakes Low Loader	BP3465 Eaton B-2010 FB3457 FL19.866 Freighter 154-00630 T02-3457

Section 7 - Anchor Pins, Bushes, Return Springs and Hardware

FPA No.	Description	Application	Alternate No.
 ZWT3466	Return Spring Cam End Between Springs 1/2" Length Inside 4-7/8"	Eaton 'E34' Axles with 12-1/4" Brakes Low Loader	BP3466 Eaton B-1886 FB3456 FL19.864 Freighter 154-00860 T02-3456
 ZWT3469	Return Spring O.A.L. 7-7/8" O.D. 1-3/16"	Eaton Axles	BP3469 Eaton 820016 FB3456 FL19.874 Freighter 154-00908 IT19.851 Standard Forge 208100
 YK79501551	Retainer Spring O.D. 1-7/32" Length 6"	York Axles with 12-1/4" Brakes	WT3475
 ZWT3480	Return Spring Length Inside 9" Inside Springs 4-11/16"	Rockwell	Rockwell 2258Y1273 WT3480