











## Section 3 - Slack Adjusters

FPA No.	Description	Application	Alternate No.
 <b>FP5020</b>	Slack Adjuster 1-1/2" 10 Spline 5" - 6" - 7" Spacing Pin 1/2"	General Purpose Truck and Trailer  Remove bushing for use with 5/8" clevis pins on trucks.	Bendix 278323 BR1200 FB5020 FL10.351 REA693275G501 T02-5020 WT5020 ZGBG22-5020
 <b>FP5020HD</b>	Slack Adjuster 1-1/2" 10 Spline H/D 5" - 6" - 7" Spacing Pin 1/2" <b>19mm Adjuster Nut</b>	General Purpose Truck and Trailer  Remove bushing for use with 5/8" clevis pins on trucks.	
 <b>FP5021</b>	Slack Adjuster 1-5/8" 37 Spline 6" Spacing	Fruehauf Propar Axles	BP5021 BR3206 FB5021 FL10-367 Fruehauf AXA1011-1 T02-5021 WT5021 ZGBG22-5021
 <b>FP5022</b>	Slack Adjuster 10 Spline 4-3/4" - 6" - 7-1/4" - 8-3/4" - 10" Spacing	BPW Axles	BP5022 BPW 0517452610 BR1269-19NR FB5024 FL10-6351A T02-5024 Transparts 019009282 WT5022
 <b>FP5022S</b>	Slack Adjuster Heavy Duty 10 Spline 4 3/4" - 6" - 7 1/4" - 8 3/4" - 10" Spacing <b>19mm Adjuster Nut</b>	BPW Axles	AB5022S BR1269-19FC






## Section 3 - Slack Adjusters

FPA No.	Description	Application	Alternate No.
 <b>FP5023</b>	Slack Adjuster 1-1/2" 10 Spline 5-1/2" - 6-1/2" Spacing Straight body	General Purpose Truck  Remove bushing for use with 5/8" clevis pins on trucks.	BP5023 BR1202 FB5019 WT5023 ZGBG22-5023
 <b>FP5024</b>	Slack Adjuster 1-1/2" 28 Spline 5 1/2" - 6 1/2" Spacing Straight body	Rockwell Axles  Remove bushing for use with 5/8" clevis pins on trucks.	BP5024 BR2202 WT5024 ZGBG22-5024
 <b>FP5025</b>	Slack Adjuster 1-1/2" 28 Spline 5" - 6" - 7" Spacing 1/2 Clevis pin hole.	Rockwell Axles  Remove bushing for use with 5/8" clevis pins.	BP5025 BR2200 T02-5027 WT5025 ZGBG22-5025
 <b>FP5025HD</b>	Slack Adjuster Heavy Duty 1-1/2" 28 Spline 5" - 6" - 7" Spacing <b>19mm Adjuster Nut</b>	Rockwell Axles	
 <b>FP5028</b>	Slack Adjuster Curved 1-1/2" 10 Spline 6" Spacing 1/2 Clevis pin hole	Dana Low Loader	BR1296

## Section 3 - Slack Adjusters

FPA No.	Description	Application	Alternate No.
 <b>BR1200</b>	Slack Adjuster 1-1/2" 10 Spline 5" - 6" - 7" Spacing Pin 1/2"	General Purpose Truck and Trailer  Remove bushing for use with 5/8" clevis pins on trucks.	Bendix 278323 FB5020 FL10.351 FP5020 REA693275G501 T02-5020 WT5020 ZGBG22-5020
 <b>BR1269</b>	Slack Adjuster 1-1/2" 10 Spline 4 3/4" - 6" - 7 1/4" - 8 3/4" - 10" Spacing	BPW Axles	BP5022B BPW 0517452610 FB5022 FL10-6351A FP5022S T02-5024 Transparts 019009282 WT5022
 <b>BR1202</b>	Slack Adjuster 1-1/2" 10 Spline 5 1/2" - 6 1/2" Spacing	General Purpose Truck	BP5023B FB5019 FP5023 WT5023 ZGBG22-5023
 <b>BR2202</b>	Slack Adjuster 1-1/2" 28 Spline 5 1/2" - 6 1/2" Spacing	Rockwell Axles	BP5024 FP5024 WT5024 ZGBG22-5024
 <b>BR2200</b>	Slack Adjuster 1-1/2" 28 Spline 5" - 6" - 7" Spacing	Rockwell Axles	BP5025 FP5025 T02-5027 WT5025 ZGBG22-5025


## Section 3 - Slack Adjusters

FPA No.	Description	Application	Alternate No.
 <b>BR3206</b>	Slack Adjuster 1-5/8" 37 Spline 6" Spacing <b>BRUNNER</b>	Fruehauf Propar Axles	BP5021 FB5021 FL10-367 FP5021 Fruehauf AXA1011-1 T02-5021 WT5021 ZGBG22-5021
 <b>BR21102</b>	Auto Slack Adjuster 1-1/2" 10 Spline 5 1/2" - 6 1/2" Spacing Pin 1/2" <b>BRUNNER</b>	General Purpose Truck and Trailer Remove bushing for use with 5/8" clevis pins.	WT5016AS ZGBG22-5028
 <b>BR22102</b>	Auto Slack Adjuster 1-1/2" 28 Spline Hole Spacing 5 1/2" - 6 1/2" Pin 1/2" <b>BRUNNER</b>	General Purpose Truck and Trailer Remove bushing for use with 5/8" clevis pins.	BP22102 FB5003 R801073 R801079 WT5014AS ZGBG22-5030
 <b>BR21112</b>	Auto Slack Adjuster 1-1/2" 10 Spline 5" - 6" Spacing Pin 1/2" <b>BRUNNER</b>	General Purpose Trailer Remove bushing for use with 5/8" clevis pins.	FB10142 WT5011AS ZGBG22-5029
 <b>BR21123</b>	Auto Slack Adjuster 1-1/2" 10 Spline 5" - 6" Spacing Straight Body 12 1/4" Diam. Cam Bracket - Steering Arm <b>BRUNNER</b>	York Axles Car Carrier	ZGBG22-5029

## Section 3 - Slack Adjusters

FPA No.	Description	Application	Alternate No.
 <p data-bbox="161 539 280 566"><b>BR23106</b></p>	<p data-bbox="472 197 708 226">Auto Slack Adjuster</p> <p data-bbox="472 264 663 293">1-5/8" 37 Spline</p> <p data-bbox="472 331 663 360">6" Hole Spacing</p> <p data-bbox="472 539 608 566"><b>BRUNNER</b></p>	<p data-bbox="775 197 1046 226">Fruehauf Propar Axles</p>	<p data-bbox="1110 197 1222 226">BP23106</p> <p data-bbox="1110 232 1206 262">FB5004</p>
 <p data-bbox="161 949 304 976"><b>FP1003025</b></p>	<p data-bbox="472 571 592 600">Clevis Pin</p> <p data-bbox="472 638 576 667">Size 1/2"</p>		<p data-bbox="1110 571 1270 600">ITAL 33557V</p> <p data-bbox="1110 607 1270 636">ITAL 138086</p> <p data-bbox="1110 642 1190 672">19100</p> <p data-bbox="1110 678 1214 707">3000-35</p>
 <p data-bbox="161 1312 304 1339"><b>FP1013025</b></p>	<p data-bbox="472 981 592 1010">Clevis Pin</p> <p data-bbox="472 1048 576 1077">Size 5/8"</p>		<p data-bbox="1110 981 1254 1010">2591147R1</p>
 <p data-bbox="161 1671 304 1697"><b>FP1103023</b></p>	<p data-bbox="472 1344 727 1373">Yoke &amp; Pin Assembly</p> <p data-bbox="472 1411 608 1440">Pin OD 1/2"</p> <p data-bbox="472 1478 711 1507">Female Thread 5/8"</p>		<p data-bbox="1110 1344 1206 1373">11M018</p> <p data-bbox="1110 1379 1254 1408">3255429R1</p> <p data-bbox="1110 1415 1238 1444">M8292001</p>
 <p data-bbox="161 2069 304 2096"><b>FP1203023</b></p>	<p data-bbox="472 1702 727 1731">Yoke &amp; Pin Assembly</p> <p data-bbox="472 1769 608 1798">Pin OD 5/8"</p> <p data-bbox="472 1836 711 1865">Female Thread 5/8"</p>		<p data-bbox="1110 1702 1270 1731">11M018-625</p> <p data-bbox="1110 1738 1254 1767">3253625R1</p>

## Section 3 - Slack Adjusters

FPA No.	Description	Application	Alternate No.
 <b>WH201225</b>	Bush - Clevis Pin I.D. 1/2" O.D. 5/8" Length 31/64"		E-2307 IT2307